

OVERLOCKER PROJECT


*Little Girls T- Shirt
Dress*



Fun Flounces

- Roll hem along one long edge of the frill then flip the fabric for the second row so you are working on the wrong side.
- On one long edge fold down 2cm with right sides together, making sure rolled hems are both right sides up.

Right side of rolled hem



- Convert overlock back to a 4thread
- **Attaching elastic to top of skirt**
- Divide skirt fabric and elastic in half and then quarters.



- Pin into position so that the edge of the elastic sit on the raw edge of the fabric.
- Note:** When using pins, make sure pin heads can be removed easily before sewing.

- Place fabric and elastic under foot with elastic side up.
- Stitch together while stretching the elastic to fit.

Note: Sew a few stitches to secure then continue to overlock while stretching the elastic.



- Remove foot, Insert narrow elastic into guide in foot if you have the ability.
- Attach foot.



- Place frill under foot with folded edge along blade.
- Sew a few stitches to secure.
- Sew to the end, stretching elastic as you go.
- Attach frill to base of skirt with frill side up, be careful not to stretch frill as you overlock.
- For correct sizing of skirt, check it against your t-shirt and trim if needed.
- Stitch down centre back seam



- Pin skirt to t-shirt, lining up centre back seam in a side seam.
- Overlock together.

